



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

1/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product Identifier**

Trade name	TEMPO® SC ULTRA INSECTICIDE
Product code (UVP)	06523803
SDS Number	102000012497
EPA Registration No.	432-1363

**Relevant Identified uses of the substance or mixture and uses advised against**

Use	Insecticide
Restrictions on use	See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**  
All Emergencies, 24hr/ 7 days 1-800-334-7577

**Product Information**  
**Telephone No.**

**SDS Information or Request** [SDSINFO.BCS-NA@bayer.com](mailto:SDSINFO.BCS-NA@bayer.com)

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200**

Eye irritation : Category 2B  
Acute toxicity (Oral): Category 4  
Acute toxicity (Inhalation): Category 4

**Labelling in accordance with regulation HCS 29CFR §1910.1200**



**Signal word:** Warning

**Hazard statements**

Causes eye irritation.  
Harmful if swallowed.  
Harmful if inhaled.

**Precautionary statements**

Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

2/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

Avoid breathing mist and spray.  
Use only outdoors or in a well-ventilated area.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
Rinse mouth.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a POISON CENTER or doctor/ physician if you feel unwell.  
Dispose of contents/container in accordance with local regulation.

**Other hazards**

No other hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Average % by Weight
Beta-Cyfluthrin	68359-37-5	11.80
1,2-Propanediol	57-55-6	15.20

**SECTION 4: FIRST AID MEASURES**

**Description of first aid measures**

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** To date no symptoms are known.



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

**3/11**  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

---

**Indication of any immediate medical attention and special treatment needed**

**Treatment**                      Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

---

**SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media**

**Suitable**                      Water, Foam, Dry chemical

**Unsuitable**                    None known.

**Special hazards arising from the substance or mixture**                      Dangerous gases are evolved in the event of a fire.

**Advice for firefighters**

**Special protective equipment for fire-fighters**                      Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further Information**                      Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Evacuate personnel to safe areas. Keep out of smoke. Do not allow run-off from fire fighting to enter drains or water courses.

**Flash point**                      > 93.4 °C

**Autoignition temperature**                      no data available

**Lower explosion limit**                      no data available

**Upper explosion limit**                      no data available

**Explosivity**                      not applicable

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Precautions**                      Avoid contact with spilled product or contaminated surfaces. Isolate hazard area. Keep unauthorized people away.

**Methods and materials for containment and cleaning up**

**Methods for cleaning up**                      Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup.



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

4/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

**Additional advice** Do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Protect from freezing. Store in original container and out of the reach of children, preferably in a locked storage area.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Beta-Cyfluthrin	68359-37-5	50 ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	50 ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	5 ug/m3 (AN ESL)	10 2003	TX ESL
Beta-Cyfluthrin	68359-37-5	5 ug/m3 (AN ESL)	10 2003	TX ESL
Beta-Cyfluthrin	68359-37-5	0.01 mg/m3 (TWA)		OES BCS*
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL
1,2-Propanediol	57-55-6	1000 ug/m3 (ST ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	50 ug/m3 (ST ESL)	03 2012	TX ESL



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

5/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

1,2-Propanediol	57-55-6	100 ug/m3 (AN ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	50 ppb (AN ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	500 ppb (ST ESL)	03 2012	TX ESL
1,2-Propanediol	57-55-6	5 ug/m3 (AN ESL)	03 2012	TX ESL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

- Respiratory protection**      When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
- Hand protection**              Chemical resistant nitrile rubber gloves
- Eye protection**                  Tightly fitting safety goggles
- Skin and body protection**      Wear long-sleeved shirt and long pants and shoes plus socks.
- General protective measures**      Remove contaminated clothing immediately and dispose of safely.  
  
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance**                      white to beige
- Physical State**                  viscous liquid suspension
- Odor**                                chalk-like
- Odour Threshold**              no data available
- pH**                                    4.7
- Vapor Pressure**                no data available



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

6/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

---

<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	ca. 1.06 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available
<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	no data available
<b>Water solubility</b>	no data available
<b>Solubility in other solvents</b>	no data available
<b>Minimum Ignition Energy</b>	not applicable
<b>Decomposition temperature</b>	not applicable
<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Flash point</b>	> 93.4 °C
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

<b>Thermal decomposition</b>	not applicable
<b>Chemical stability</b>	Stable under normal conditions.
<b>Conditions to avoid</b>	freezing
<b>Incompatible materials</b>	Alkali metals, Methanol



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

7/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

**Hazardous decomposition products** no data available

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Eye contact, Inhalation, Skin contact, Skin Absorption

**Immediate Effects**

**Eye** Moderate eye irritation may occur.

**Skin** Harmful if absorbed through skin.

**Ingestion** Harmful if swallowed.

**Inhalation** Harmful if inhaled.

**Information on toxicological effects**

**Acute oral toxicity** LD50 (male rat) 960 mg/kg

LD50 (female rat) 1,150 mg/kg

**Acute Inhalation toxicity** LC50 (male/female combined rat) > 1.72 mg/l  
Exposure time: 4 h  
Highest attainable concentration.

LC50 (male/female combined rat) > 6.88 mg/l  
Exposure time: 1 h  
Extrapolated from the 4 hr LC50.

**Acute dermal toxicity** LD50 (male/female combined rat) > 2,000 mg/kg

**Skin Irritation** No skin irritation (rabbit)

**Eye Irritation** Mild eye irritation. (rabbit)

**Sensitisation** Non-sensitizing. (guinea pig)

**Assessment repeated dose toxicity**

The toxic effects of beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

**Assessment Mutagenicity**

beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH**

None.



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

8/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

**NTP**  
None.

**IARC**  
None.

**OSHA**  
None.

**Assessment toxicity to reproduction**

beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with beta-Cyfluthrin is related to parental toxicity.

**Assessment developmental toxicity**

beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with beta-Cyfluthrin are related to maternal toxicity.

**Further Information**

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

---

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity to fish</b>	LC50 (Rainbow trout ( <i>Oncorhynchus mykiss</i> )) 0.000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Water flea ( <i>Daphnia magna</i> )) 0.00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
<b>Toxicity to aquatic plants</b>	EC50 ( <i>Desmodemus subspicatus</i> ) > 0.01 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow to get into surface water, drains and ground water.  Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.





**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

9/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Product**

Dispose in accordance with all local, state/provincial and federal regulations.  
Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.  
If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Contaminated packaging**

Follow advice on product label and/or leaflet.  
Do not re-use empty containers.  
Triple rinse containers.  
Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning.  
If burned, stay out of smoke.

**RCRA Information**

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

**SECTION 14: TRANSPORT INFORMATION**

**49CFR**

Not dangerous goods / not hazardous material

**IMDG**

UN number **3082**  
Class **9**  
Packaging group **III**  
Marine pollutant **YES**  
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BETA-CYFLUTHRIN SOLUTION)**

**IATA**

UN number **3082**  
Class **9**  
Packaging group **III**  
Environm. Hazardous Mark **YES**

# Bayer Environmental Science

## SAFETY DATA SHEET



### TEMPO® SC ULTRA INSECTICIDE

Version 2 / USA  
102000012497

10/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(BETA-CYFLUTHRIN SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

### SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1363

#### US Federal Regulations

##### TSCA IIst

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

##### SARA Title III - Section 302 - Notification and Information

None.

##### SARA Title III - Section 313 - Toxic Chemical Release Reporting

Beta-Cyfluthrin 68359-37-5 1.0%

#### US States Regulatory Reporting

##### CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

##### US State Right-To-Know Ingredients

Beta-Cyfluthrin 68359-37-5 NJ  
1,2-Propanediol 57-55-6 MN, RI

#### Canadian Regulations

##### Canadian Domestic Substance List

1,2-Propanediol 57-55-6

#### Environmental

##### CERCLA

None.

##### Clean Water Section 307 Priority Pollutants

None.

##### Safe Drinking Water Act Maximum Contaminant Levels

None.

#### International Regulations

##### European Inventory of Existing Commercial Substances (EINECS)

1,2-Propanediol 57-55-6

#### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification

**Bayer Environmental Science**  
**SAFETY DATA SHEET**



**TEMPO® SC ULTRA INSECTICIDE**

Version 2 / USA  
102000012497

11/11  
Revision Date: 02/03/2014  
Print Date: 04/12/2016

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed, inhaled or absorbed through the skin.  
Moderate eye irritation.  
Avoid contact with skin, eyes and clothing.  
Avoid breathing spray mist.  
Wash thoroughly with soap and water after handling.

**SECTION 16: OTHER INFORMATION**

NFPA 704 (National Fire Protection Association):

Health - 1      Flammability - 1      Instability - 0      Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1      Flammability - 1      Physical Hazard -      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 02/03/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.

